
B chains		A chains	
relaxin insulin	RLF	RLF	relaxin
			•
Д		<b>≯</b>	Ø
<b>a</b>	਼ਾਰ	≯	ᆫ
¥	日	. >	ĸ
X	М	ㅂ	മ
ង ជ	ম	z	≯ Q
< □	×	ч	ΗЧ
<b>z</b> <	<b>ઝ</b> :	≯	> <
на	য়ে	Ħ	以正
H H	×	ĸ	ХO
רר	Ľ	رات	$\alpha$
က က	O	—- ċ	ပ ပ
വ വ	Q	۲	耳中
S	缸	മ	∢ ໝ
표면	<b>.</b> #	ဂ	QН
F F	দ্য	്റ—ി	၀ ၀
44	< .	H	S Fr
দ্ৰস	×	<b>(O</b>	ХL
D D	<b>≫</b>	Ю	と を よ
ΓO	E-	A	S
к н	[<]	H	דד
L >	স	E	≯ष
< н	<	H	7 Z
00	c <b>/</b>	_ בי	म ५
റ റ	ଦ	<u> </u>	$\alpha$
百四	വ	₩	Z
Ω K	Ю	K	•
G H	Ħ		
দা হ	X.	F16	1
ኳ ወ	ល	1-10	7 1
К	圩		
H .	Ħ		
тd	$\Rightarrow$	,	
×			

1-3


·,

فريكا


47.351




Tig 4



7- \_





F16.7

